



BUMPER REPLACEMENT

READ THESE INSTRUCTIONS COMPLETELY BEFORE YOU START. IF YOU DON'T UNDERSTAND THESE INSTRUCTIONS, PLEASE CALL 800-453-1192 FOR ASSISTANCE

Procedure for replacing the bumper on Little Giant Ladder Systems Cage.

- 1. Failure to comply with all instructions may result in serious injury.
- Make sure this kit is compatible with your ladder. If you have any questions concerning the use of this kit on Little Giant Ladder Systems products, call 800-453-1192 for assistance.
- 3. Before installing this kit, identify all kit components. If any components are missing or damaged, please contact Customer Care. Do not substitute any components.
- 4. Inspect the Cage before installing this kit. Repair or replace any damaged or missing ladder parts before using the ladder. Use only Little Giant Ladder Systems repair or replacement parts. If you are unable to repair it, discard the Cage.

COMPONENTS IN KIT

TOOLS NEEDED



(1) BUMPER





(2) SOCKET CAP SCREWS



(2) LOCK NUTS

5/32" ALLEN WRENCH



(2) WASHERS

NOTE: IF ANY OTHER PART OF THE CAGE IS DAMAGED BEFORE OR DURING THE PROCESS OF INSTALLING AND/OR REPAIRING, DISCARD THE LADDER OR CONTACT CUSTOMER CARE FOR INSTRUCTIONS.


DO NOT USE A DAMAGED LADDER!

Customer Service: 800-453-1192


Little Giant Ladder Systems • 1198 North Spring Creek Place • Springville, UT 84663 • USA




1. Identify the (2) areas where the bumpers are located.




2. Using a 7/16" wrench and a 5/32" allen wrench, loosen the (existing) lock nut and socket cap screw.




3. Once the (existing) lock nut and socket cap screw have been loosened, discard.



4. Remove and discard (existing) bumper.



5. Line up the (new) bumper with the (existing) holes.



6. Insert the (new) lock nut and socket cap screw through the bumper and bottom brace. Using a 7/16" wrench and a 5/32" allen wrench tighten the (new) lock nut and socket cap screw.

80761 v2 8.15 (2)



7. Once all of the steps have been completed, stand the ladder up and make sure that it is stable before use.